


## AMENDMENTS TO THE CLAIMS

The following **Listing of Claims** will replace all prior versions, and listings, of claims in the application.

### Listing of Claims:


1. (Original) A compound represented by the general formula:



wherein  $X_1$  represents a nitrogen atom or a group represented by the formula  $-CR_{10}=$ ,  $X_2$  represents a nitrogen atom or a group represented by the formula  $-CR_{11}=$ , and  $X_1$  and  $X_2$  do not represent a nitrogen atom at the same time;


Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula  $-NR_Y-$  (wherein  $R_Y$  represents a hydrogen atom or a  $C_{1-6}$  alkyl group);

$R_1$  represents an optionally substituted  $C_{1-6}$  alkoxy group, an optionally substituted  $C_{6-10}$  aryloxy group, a group represented by the formula  $-NR_{12a}R_{12b}$ , a group represented by the formula:




(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally substituted  $C_{1-6}$  alkylene;  $A_{11}$  represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and  $A_{12}$  represents a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_{2-6}$  alkenyl group, a  $C_{2-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group, a  $C_{6-10}$  aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula  $-NR_{A10}R_{A11}$ , a group represented by the formula  $-OR_{A12}$  (wherein  $R_{A10}$ ,  $R_{A11}$  and

R<sub>A12</sub> each independently represent a hydrogen atom, a C1-6 alkyl group or C<sub>3-8</sub> cycloalkyl group) or a group represented by the formula:



(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula  $-\text{CR}_{\text{X7}}\text{R}_{\text{X8}}-$  or a group represented by the formula  $-\text{NR}_{\text{X9}}-$ ; R<sub>X7</sub>, R<sub>X8</sub> and R<sub>X9</sub> each independently represent a hydrogen atom, a hydroxyl group or a C<sub>1-6</sub> alkyl group)); and Y<sub>A3</sub> represents a hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl group) or a group represented by the formula:



(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>8</sub>, R<sub>10</sub> and R<sub>11</sub> each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, a group represented by the formula  $-\text{CO}-\text{R}_{13}$ , a group represented by the formula  $-\text{NR}_{14}-\text{CO}-\text{R}_{13}$ , a group represented by the formula  $-\text{SO}_2-\text{R}_{15}$ , a group represented by the formula  $-\text{NR}_{14}-\text{SO}_2-\text{R}_{15}$ , or a group represented by the formula  $-\text{NR}_{16a}\text{R}_{16b}$ ;


R<sub>9</sub> represents a group represented by the formula  $-\text{NR}_{16a}\text{R}_{16b}$  or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R<sub>12a</sub> and R<sub>12b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C<sub>1-6</sub> alkoxy group;

R<sub>13</sub> represents a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C<sub>1-6</sub> alkoxy group, an optionally substituted C<sub>6-10</sub> aryloxy group, a group represented by the formula -NR<sub>12a</sub>R<sub>12b</sub>, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


R<sub>2</sub> and R<sub>14</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, or a group represented by the formula -CO-R<sub>13</sub>;

R<sub>15</sub> represents an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R<sub>16a</sub> and R<sub>16b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C<sub>1-6</sub> alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula -CR<sub>X1</sub>R<sub>X2</sub>-, or a group represented by the formula -NR<sub>X3</sub>- (wherein R<sub>X1</sub>, R<sub>X2</sub> and R<sub>X3</sub> each independently represent a hydrogen atom or a group represented by the formula -A<sub>1</sub>-A<sub>2</sub>-A<sub>3</sub> (wherein A<sub>1</sub> and A<sub>2</sub> each independently represent a single bond, an optionally substituted C<sub>1-6</sub> alkylene group or a carbonyl group; and A<sub>3</sub> represents a hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A1</sub>R<sub>A2</sub>, or the formula -OR<sub>A3</sub> (wherein, R<sub>A1</sub>, R<sub>A2</sub> and R<sub>A3</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl


group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2)),

a salt thereof, or a hydrate of the foregoing.


2. (Previously presented) A compound represented by the general formula:



wherein  $X_1$  represents a nitrogen atom or a group represented by the formula  $-CR_{10}=$ ,  $X_2$  represents a nitrogen atom or a group represented by the formula  $-CR_{11}=$ , and  $X_1$  and  $X_2$  do not represent a nitrogen atom at the same time;


$Y$  represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula  $-NR_Y-$  (wherein  $R_Y$  represents a hydrogen atom or a  $C_{1-6}$  alkyl group);

$R_1$  represents an optionally substituted  $C_{1-6}$  alkoxy group, an optionally substituted  $C_{6-10}$  aryloxy group, a group represented by the formula  $-NR_{12a}R_{12b}$ , a group represented by the formula:




(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally substituted  $C_{1-6}$  alkylene;  $A_{11}$  represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and  $A_{12}$  represents a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_{2-6}$  alkenyl group, a  $C_{2-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group, a  $C_{6-10}$  aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula  $-NR_{A10}R_{A11}$ , a group represented by the formula  $-OR_{A12}$  (wherein  $R_{A10}$ ,  $R_{A11}$  and  $R_{A12}$  each independently represent a hydrogen atom, a  $C_{1-6}$  alkyl group or  $C_{3-8}$  cycloalkyl group)

or a group represented by the formula:



(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula  $-\text{CR}_{\text{X}7}\text{R}_{\text{X}8}-$  or a group represented by the formula  $-\text{NR}_{\text{X}9}-$ ;  $\text{R}_{\text{X}7}$ ,  $\text{R}_{\text{X}8}$  and  $\text{R}_{\text{X}9}$  each independently represent a hydrogen atom, a hydroxyl group or a  $\text{C}_{1-6}$  alkyl group)); and  $\text{Y}_{\text{A}3}$  represents a hydrogen atom or an optionally substituted  $\text{C}_{1-6}$  alkyl group) or a group represented by the formula:



(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

$\text{R}_3$ ,  $\text{R}_4$ ,  $\text{R}_5$ ,  $\text{R}_6$ ,  $\text{R}_7$ ,  $\text{R}_8$ ,  $\text{R}_{10}$  and  $\text{R}_{11}$  each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted  $\text{C}_{1-6}$  alkyl group, an optionally substituted  $\text{C}_{2-6}$  alkenyl group, an optionally substituted  $\text{C}_{2-6}$  alkynyl group, an optionally substituted  $\text{C}_{3-8}$  cycloalkyl group, a group represented by the formula  $-\text{CO}-\text{R}_{13}$ , a group represented by the formula  $-\text{NR}_{14}-\text{CO}-\text{R}_{13}$ , a group represented by the formula  $-\text{SO}_2-\text{R}_{15}$ , a group represented by the formula  $-\text{NR}_{14}-\text{SO}_2-\text{R}_{15}$ , or a group represented by the formula  $-\text{NR}_{16a}\text{R}_{16b}$ ;

$\text{R}_9$  represents a group represented by the formula  $-\text{NR}_{16a}\text{R}_{16b}$  or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

$\text{R}_{12a}$  and  $\text{R}_{12b}$  each independently represent a hydrogen atom, an optionally substituted  $\text{C}_{1-6}$  alkyl group, an optionally substituted  $\text{C}_{3-6}$  alkenyl group, an optionally substituted  $\text{C}_{3-6}$  alkynyl group, an optionally substituted  $\text{C}_{3-8}$  cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted  $\text{C}_{1-6}$  alkoxy group;

$\text{R}_{13}$  represents a hydrogen atom, an optionally substituted  $\text{C}_{1-6}$  alkyl group, an optionally

substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C<sub>1-6</sub> alkoxy group, an optionally substituted C<sub>6-10</sub> aryloxy group, a group represented by the formula -NR<sub>12a</sub>R<sub>12b</sub>, or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R<sub>2</sub> and R<sub>14</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, or a group represented by the formula —CO-R<sub>13</sub>;

R<sub>15</sub> represents an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R<sub>16a</sub> and R<sub>16b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C<sub>1-6</sub> alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula —CR<sub>X1</sub>R<sub>X2</sub>-, or a group represented by the formula —NR<sub>X3</sub>- (wherein R<sub>X1</sub>, R<sub>X2</sub> and R<sub>X3</sub> each independently represent a hydrogen atom or a group represented by the formula —A<sub>1</sub>-A<sub>2</sub>-A<sub>3</sub> (wherein A<sub>1</sub> and A<sub>2</sub> each independently represent a single bond, an optionally substituted C<sub>1-6</sub> alkylene group or a carbonyl group; and A<sub>3</sub> represents a hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A1</sub>R<sub>A2</sub>, or the formula -OR<sub>A3</sub> (wherein, R<sub>A1</sub>, R<sub>A2</sub> and R<sub>A3</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))),

a salt thereof, or a hydrate of the foregoing.

3. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom, a group represented by the formula  $\text{-NH-}$ , or a group represented by the formula  $\text{-N(CH}_3\text{)-}$ .

4. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom.

5. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein one of  $\text{X}_1$  and  $\text{X}_2$  represents a group represented by the formula  $\text{-CH=}$  and the other represents a nitrogen atom.

6. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein both  $\text{X}_1$  and  $\text{X}_2$  represent a group represented by the formula  $\text{-CH=}$ .


7. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $\text{R}_3$ ,  $\text{R}_4$ ,  $\text{R}_5$ ,  $\text{R}_6$  and  $\text{R}_8$  each represent a hydrogen atom, and  $\text{R}_7$  represents a hydrogen atom, a halogen atom or an optionally substituted  $\text{C}_{1-6}$  alkyl group.

8. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $\text{R}_9$  represents a group represented by the formula  $\text{-NHR}_{17}$  (wherein  $\text{R}_{17}$  represents an optionally substituted  $\text{C}_{1-6}$  alkyl group, a  $\text{C}_{3-6}$  alkynyl group, a  $\text{C}_{3-8}$  cycloalkyl group, an optionally substituted  $\text{C}_{6-10}$  aryl group or an optionally substituted 5- to 10-membered heteroaryl group).


9. (Previously presented) A compound according to claims 1 or 2, a salt of the compound,

or a hydrate of the foregoing, wherein R<sub>9</sub> represents a group represented by the formula –NR<sub>18a</sub>R<sub>18b</sub> (wherein R<sub>18a</sub> and R<sub>18b</sub> each independently represent a C<sub>1-6</sub> alkyl group).

10. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>9</sub> represents a group represented by the formula:



(wherein b<sub>1</sub> represents 1 or 2; X represents the an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula –CR<sub>X1</sub>R<sub>X2</sub>–, or a group represented by the formula –NR<sub>X3</sub>– (wherein R<sub>X1</sub>, R<sub>X2</sub> and R<sub>X3</sub> each independently represent a hydrogen atom or a group represented by the formula –A<sub>1</sub>-A<sub>2</sub>-A<sub>3</sub> (wherein A<sub>1</sub> and A<sub>2</sub> each independently represent a single bond, an optionally substituted C<sub>1-6</sub> alkylene group or a carbonyl group; and A<sub>3</sub> represents a hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula –NR<sub>A1</sub>R<sub>A2</sub>, or the formula –OR<sub>A3</sub> (wherein, R<sub>A1</sub>, R<sub>A2</sub> and R<sub>A3</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))).

11. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>9</sub> represents a group represented by the formula –NHR<sub>19</sub> (wherein R<sub>19</sub> represents a C<sub>1-6</sub> alkyl group, a C<sub>3-6</sub> alkynyl group, a C<sub>3-8</sub> cycloalkyl group or a C<sub>6-10</sub> aryl group).

12. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub> and R<sub>8</sub> each represent a hydrogen atom.


13. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>2</sub> represents a hydrogen atom.




14. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NHR_{20}$  (wherein  $R_{20}$  represents a methyl group, an ethyl group or a cyclopropyl group).

15. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NH(CH_3)$ .

16. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a further optionally substituted group represented by the formula:




(wherein  $b_2$  represents 0, 1 or 2; and  $X$  represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula  $-CR_{X1}R_{X2}-$ , or a group represented by the formula  $-NR_{X3}-$  (wherein  $R_{X1}$ ,  $R_{X2}$  and  $R_{X3}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_1-A_2-A_3$  (wherein  $A_1$  and  $A_2$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_3$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A1}R_{A2}$ , or the formula  $-OR_{A3}$  (wherein,  $R_{A1}$ ,  $R_{A2}$  and  $R_{A3}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or an optionally substituted group represented by the formula:




(wherein  $a$  represents 1 or 2))).

17. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:



(wherein  $X$  represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group,


a group represented by the formula  $-\text{CR}_{\text{X1}}\text{R}_{\text{X2}}-$ , or a group represented by the formula  $-\text{NR}_{\text{X3}}-$  (wherein  $\text{R}_{\text{X1}}$ ,  $\text{R}_{\text{X2}}$  and  $\text{R}_{\text{X3}}$  each independently represent a hydrogen atom or a group represented by the formula  $-\text{A}_1-\text{A}_2-\text{A}_3$  (wherein  $\text{A}_1$  and  $\text{A}_2$  each independently represent a single bond, an optionally substituted  $\text{C}_{1-6}$  alkylene group or a carbonyl group; and  $\text{A}_3$  represents a hydrogen atom, a  $\text{C}_{3-8}$  cycloalkyl group, a group represented by the formula  $-\text{NR}_{\text{A1}}\text{R}_{\text{A2}}$ , or the formula  $-\text{OR}_{\text{A3}}$  (wherein,  $\text{R}_{\text{A1}}$ ,  $\text{R}_{\text{A2}}$  and  $\text{R}_{\text{A3}}$  each independently represent a hydrogen atom or a  $\text{C}_{1-6}$  alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2)).


18. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents an oxygen atom.

19. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein  $\text{R}_{\text{X4}}$  represents a hydrogen atom or a group represented by the formula  $-\text{A}_4-\text{A}_5-\text{A}_6$  (wherein  $\text{A}_4$  and  $\text{A}_5$  each independently represent a single bond, an optionally substituted  $\text{C}_{1-6}$  alkylene or a carbonyl group; and  $\text{A}_6$  represents a hydrogen atom, a  $\text{C}_{3-8}$  cycloalkyl group or a group represented by the formula  $-\text{NR}_{\text{A4}}\text{R}_{\text{A5}}$  or the formula  $-\text{OR}_{\text{A6}}$  (wherein  $\text{R}_{\text{A4}}$ ,  $\text{R}_{\text{A5}}$  and  $\text{R}_{\text{A6}}$  each independently represent a hydrogen atom or a  $\text{C}_{1-6}$  alkyl group))).

20. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:



(wherein  $\text{R}_{\text{X5}}$  and  $\text{R}_{\text{X6}}$  each independently represent a hydrogen atom or a group represented by the formula  $-\text{A}_7-\text{A}_8-\text{A}_9$  (wherein  $\text{A}_7$  and  $\text{A}_8$  each independently represent a single bond, an optionally substituted  $\text{C}_{1-6}$  alkylene group or a carbonyl group; and  $\text{A}_9$  represents a


hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A7</sub>R<sub>A8</sub>, or the formula -OR<sub>A9</sub> (wherein R<sub>A7</sub>, R<sub>A8</sub>, and R<sub>A9</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or a group represented by the formula:



(wherein c<sub>1</sub> represents 0, 1 or 2))).


21. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R<sub>X5</sub> and R<sub>X6</sub> in the formula (VI) represents a hydroxyl group and the other represents a hydrogen atom or a C<sub>1-6</sub> alkyl group.

22. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R<sub>X5</sub> or R<sub>X6</sub> in the formula (VI) represents a hydrogen atom and the other represents a group represented by the formula:




(wherein c<sub>2</sub> represents 1 or 2).

23. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>1</sub> represents a group represented by the formula:




(wherein R<sub>X51</sub> and R<sub>X61</sub> each independently represent a hydrogen atom or a group represented by the formula -A<sub>71</sub>-A<sub>81</sub>-A<sub>91</sub> (wherein A<sub>71</sub> and A<sub>81</sub> each independently represent a single bond, an optionally substituted C<sub>1-6</sub> alkylene group or a carbonyl group; and A<sub>91</sub> represents a hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A71</sub>R<sub>A81</sub>, or the formula -OR<sub>A91</sub> (wherein R<sub>A71</sub>, R<sub>A81</sub>, and R<sub>A91</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or a group represented by the formula:




(wherein c<sub>11</sub> represents 0, 1 or 2))).

24. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:




(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally substituted  $C_{1-6}$  alkylene group;  $A_{11}$  represents a single bond, an oxygen atom, a carbonyl group, or a sulfonyl group; and  $A_{12}$  represents a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_{2-6}$  alkenyl group, a  $C_{2-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group, a  $C_{6-10}$  aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula  $-NR_{A10}R_{A11}$ , or the formula  $-OR_{A12}$  (wherein,  $R_{A10}$ ,  $R_{A11}$  and  $R_{A12}$  each independently represent a hydrogen atom, a  $C_{1-6}$  alkyl group or a  $C_{3-8}$  cycloalkyl group), or a group represented by the formula:



(wherein  $e$  represents 1 or 2; and  $Z$  represents an oxygen atom or a group represented by the formula  $-CR_{X7}R_{X8}-$  or the formula  $-NR_{X9}-$  (wherein  $R_{X7}$ ,  $R_{X8}$  and  $R_{X9}$  each independently represent a hydrogen atom, a hydroxyl group or a  $C_{1-6}$  alkyl group))); and  $Y_{A3}$  represents a hydrogen atom or an optionally substituted  $C_{1-6}$  alkyl group).


25. (Previously presented) A compound according to claim 24, a salt of the compound, or a hydrate of the foregoing, wherein one of  $Y_{A1}$  and  $Y_{A2}$  in the formula (VIII) represents a hydrogen atom and the other represents a group represented by the formula  $-(CH_2)_2-A_{13}-A_{14}$  (wherein  $A_{13}$  represents a single bond, a carbonyl group or a sulfonyl group; and  $A_{14}$  represents a  $C_{1-6}$  alkyl group, a group represented by the formula  $-NR_{A13}R_{A14}$  (wherein  $R_{A13}$  and  $R_{A14}$  each independently represent a hydrogen atom, a  $C_{1-6}$  alkyl group or a  $C_{3-8}$  cycloalkyl group), or a group represented by the formula:



(wherein  $e$  represents 1 or 2; and  $Z$  represents an oxygen atom or a group represented by


the formula  $-CR_{X7}R_{X8}-$  or the formula  $-NR_{X9}-$  (wherein  $R_{X7}$ ,  $R_{X8}$  and  $R_{X9}$  each independently represent a hydrogen atom, a hydroxyl group or a  $C_{1-6}$  alkyl group)); and  $Y_{A3}$  in the formula (VIII) represents a hydrogen atom.

26. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:




(each of the foregoing members being optionally substituted with a group selected from Substituent Group Alpha,

wherein Substituent Group Alpha is a group consisting of a halogen atom, a hydroxyl group, a thiol group, a nitro group, a cyano group, a carboxyl group, an amino group, a  $C_{1-6}$  alkyl group, a  $C_{3-8}$  cycloalkyl group, and a group represented by the formulas:




(wherein  $R_{N1}$  and  $R_{N2}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group)).


27. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:




28. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:




29. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:



30. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein the compound is represented by the general formula:




(wherein R<sub>1</sub> represents a group represented by the formulas:



(each of the foregoing members being optionally substituted with a group selected from Substituent Group Beta,

wherein Substituent Group Beta is a group consisting of a hydroxyl group, a C<sub>1-6</sub> alkyl group, a C<sub>3-8</sub> cycloalkyl group, and a group represented by the formulas:



(wherein  $R_{N1}$  and  $R_{N2}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group)); and  $R_9$  represents a group represented by the formula  $-NHR_{20}$  (wherein  $R_{20}$  represents a methyl group, an ethyl group or a cyclopropyl group)).

31. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyrimidyl)oxy-1H-indolecarboxamide;
- (2) 5-(6-(3-(3-diethylaminopropylamino)ureido)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(6-(((4-hydroxypiperidin-1-yl)carbonyl)amino)-pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) 5-(6-((4-pyrrolidin-1-yl)piperidin-1-yl)carbonylamino)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (5) 5-(2-(3-((1R)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (6) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (8) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (10) 5-(2-(3-((1S)-1-carbamoyl-3-methylbutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;



- (11) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (12) 5-(2-(3-cyclopropylcarbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (13) 5-(2-(3-((1S)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (14) 5-(2-(3-((1R)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (15) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)-1,5-pentanedicarboxylic acid diamide;
- (16) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)succinamide;
- (17) 5-(2-(3-((1S)-1-cyclopropylcarbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (18) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (19) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (20) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (21) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (22) 5-(2-(3-((1S)-1-hydroxymethyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (23) 5-(2-(3-((1S)-1-hydroxymethyl-2-(morpholin-4-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (24) 5-(2-(3-(2-cyclopropylcarbamoylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (25) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (26) 5-(2-(3-(3-(4-hydroxy-4-methylpiperidin-1-yl)-3-oxopropyl)ureido)pyridin-4-

- yloxy)-1H-indole-1-carboxylic acid methylamide;
- (27) N1-ethyl-5-(2-(((2-ethoxyethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-methyl-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-methyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (32) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (33) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (34) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (35) 5-(2-(3-(3-(diethylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (36) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (37) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (38) N1-methyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (39) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (40) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (41) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (42) N1-methyl-5-(2-((4-(1-hydroxy-1-methylethyl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (43) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (44) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (45) 5-(2-((4-((pyrrolidin-1-yl)carbonyl)piperidin-1-yl)carbonylamino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (46) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (47) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (48) N1-methyl-5-(2-((4-ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (49) N1-methyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (50) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (51) N1-methyl-5-(2-((4-(2-dimethylaminoacetyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (52) N1-methyl-5-(2-((4-cyclohexylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (53) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (54) N1-methyl-5-(2-((1,1-dioxothiomorpholin-4-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (55) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (56) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (57) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-

- yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (58) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (59) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (60) N1-ethyl-5-(2-(((1-methyl-4-piperidyl)methyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (61) N1-ethyl-5-(2-(((2-diethylamino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (62) N1-ethyl-5-(2-(((2-(morpholin-4-yl)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (63) N1-ethyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (64) N1-methyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (65) N1-ethyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (66) N1-ethyl-5-(2-(((3-(morpholin-4-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (67) N1-ethyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (68) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (69) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (70) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (71) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (72) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;

- (73) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (74) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (75) N1-phenyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (76) N1-phenyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (77) N1-ethyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (78) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (79) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (80) N1-ethyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (81) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (82) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (83) N1-ethyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (84) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (85) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (86) N1-cyclopropyl-5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (87) N4-(4-(1-(cyclopropylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (88) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-

- indolecarboxamide;
- (89) N1-cyclopropyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (90) N4-(4-(1-(cyclopentylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (91) 5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopentylamide;
- (92) N1-cyclopentyl-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (93) N1-(3-methylbutyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (94) N1-(3-methylbutyl)-5-(2-((4-(hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (95) N4-(4-(1-((3-methylbutyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (96) N1-(1-ethylpropyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (97) N1-(1-ethylpropyl)-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (98) N4-(4-(1-((1-ethylpropyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (99) N4-(4-(1-((1-pentyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (100) N1-(1-pentyl)-5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (101) N1-(1-pentyl)-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (102) N1-methyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (103) N1-methyl-3-chloro-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (104) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (105) N1-methyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (106) N1-methyl-3-chloro-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (107) N4-(4-(3-chloro-1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (108) N1-methyl-3-chloro-5-(2-((4-(ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (109) N1-ethyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (110) N1-ethyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (111) N1-ethyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (112) N1,3-dimethyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (113) N1,3-dimethyl-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (114) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- (115) N1-cyclopropyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- (116) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (117) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (118) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-

- indolecarboxamide;
- (119) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (120) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (121) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (122) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (123) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (124) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (125) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (126) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

32. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) N1-methyl-5-(2-(((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (5) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (6) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-



- carboxylic acid methylamide;
- (7) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (8) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (9) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
  - (10) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
  - (11) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
  - (12) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (13) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (14) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (15) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
  - (16) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
  - (17) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
  - (18) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
  - (19) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
  - (20) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
  - (21) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (22) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (23) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (24) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (25) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (26) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (27) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (32) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (33) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (34) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (35) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (36) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

33. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (3) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (4) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (5) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.

34. (Previously presented) A pharmaceutical composition comprising a compound according to claims 1 or 2 and a pharmaceutical adjuvant.

35. (Previously presented) A prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective, comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

36. (Previously presented) An angiogenesis inhibitor comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

37. (Previously presented) An antitumor agent comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

38. (Original) An antitumor agent according to claim 37, wherein the tumor is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a blood cancer or an ovarian cancer.

39. (Previously presented) A therapeutic agent for hemangioma comprising as an active

ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

40. (Previously presented) A cancer metastasis inhibitor comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

41. (Previously presented) A therapeutic agent for retinal neovascularization or diabetic retinopathy comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

42. (Previously presented) A therapeutic agent for an inflammatory disease comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

43. (Original) A therapeutic agent for an inflammatory disease according to claim 42, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.

44. (Previously presented) A therapeutic agent for atherosclerosis comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

45. (Withdrawn) A prophylactic or therapeutic method for treating a disease for which angiogenesis inhibition is effective, comprising administering to a patient, a pharmacologically effective dose of a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

46. (Cancelled).

47. (Withdrawn) A method of inhibiting angiogenesis in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

48. (Withdrawn) A method of treating cancer in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

49. (Withdrawn) The method of Claim 48, wherein the cancer is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a blood cancer or an ovarian cancer.

50. (Withdrawn) A method of treating or preventing hemangioma in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

51. (Withdrawn) A method of treating or preventing an inflammatory disease in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

52. (Withdrawn) The method of Claim 51, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.

53. (Withdrawn) A method of treating or preventing atherosclerosis in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.